







# Air Circuit Breaker

# SENTRON 3WL ACB




# SENTRON 3WL

	Circuit breaker rated current $I_{n\max}$ (A)	Breaking capacity $I_{cu}$ at 500 V AC (kA) or $I_{cc}$ at 300 V DC (kA)	Dimensions			
			Fixed-mounted, 3- /4-pole	With-drawable 3- /4-pole		
Size III			704 / 914	704 / 914	Width	
			434 / 434	460 / 460	Height	
			291 / 291	385 / 385	Depth	
Size II			460 / 590	460 / 590	Width	
			434 / 434	460 / 460	Height	
			291 / 291	385 / 385	Depth	
Size I			320 / 410	320 / 410	Width	
			434 / 434	460 / 460	Height	
			291 / 291	385 / 385	Depth	

# 3WT ACB



# 3WT ACB- Range





*Adding Values to Work*

An ISO 27001:2013 Certified Company

**Network Techlab (I) Pvt. Ltd.**

41, Sarvodaya Industrial Estate, Opp. Paper Box, Off. Mahakali Caves Road, Andheri East, Mumbai - 400093, India.

Tel: 022-6681 4101 | Email: [info@netlabindia.com](mailto:info@netlabindia.com) | Web: [www.netlabindia.com](http://www.netlabindia.com)

**Our Presence: Mumbai | Navi Mumbai | Ahmedabad | Vadodara | Vapi | Pune | Bangalore | Chennai | Goa | Delhi**